

CHERRY BOMB[®]

DISTURBING THE PEACE, SINCE 1968

PERFORMANCE EXHAUST




www.CHERRYBOMB.com



**DISTURBING THE PEACE
SINCE 1968**




GLASSPACK



PRO



EXTREME



VORTEX



M-80



SALUTE



TURBO



TABLE OF CONTENTS

Glasspacks	2-4	X Pipes	19
Header Mufflers	4	Y-Connectors	19
M-80 Mufflers	5	U-Bend Pipes	19
Salute Mufflers	6-9	Elbows	20-21
Vortex Mufflers	10-11	Clamps	22
Extreme Mufflers	12	Header Adapters & Gaskets	23
Pro Mufflers	13-15	Hangers	23
Turbo Mufflers	16-17	Tips	24-29
Hot Rod Mufflers	18	Flex Couplings	29
Race Mufflers	18		








- Straight-thru design
- 100% welded construction
- Cherry Bomb Red powder coat
- Reversible design for maximum installation flexibility
- Compact round body size
- The original glasspack since 1968

GLASSPACK



3 1/2" BODY Angled Necks



Full Offset - (Used for OFFSET / OFFSET Applications)
 Medium Offset - (Used for OFFSET / CENTER Applications)
 All neck sizes are inside diameter unless otherwise noted.


GLASSPACK SPECIFICATIONS




3 1/2" BODY Straight Necks



87520CB



87507CB




87502CB




87512CB




87521CB



87510CB




87505CB



87515CB



87522CB



87529CB




87516CB




4" BODY Straight Necks




87524CB



87525CB



87526CB



87517CB



87518CB





87519CB




All neck sizes are inside diameter unless otherwise noted.




5" BODY Straight Necks



3 1/2" BODY Header Mufflers - Gasket Included




4" BODY Header Muffler - Gasket Included




SIDE PIPE

All neck sizes are inside diameter unless otherwise noted.

M-80 SPECIFICATIONS



5" BODY Straight Necks



All neck sizes are inside diameter unless otherwise noted.

← HIGH FREQUENCY SOUND
← EXHAUST FLOW

- 409 stainless steel construction
- 100% welded
- Straight through perforated core
- Stainless steel wool inner wrap with roving fiber
- Reversible flow

SALUTE



4" x 9" OVAL 14" BODY 20" OVERALL

OFFSET/OFFSET

OFFSET/CENTER



SA1235



SA1224



SA1225



SA1236



SA1226



SA1229


All neck sizes are inside diameter unless otherwise noted.

SALUTE SPECIFICATIONS



4" x 9" OVAL 14" BODY 20" OVERALL


CENTER/DUALS




SA1149




SA2157



SA2158



SA2197



SA2198



4" x 9" OVAL 18" BODY 24" OVERALL

OFFSET/OFFSET



SA1266

OFFSET/CENTER



SA1255



SA1256

TRANSVERSE & OFFSET/ DUALS



SA2265



SA1259

All neck sizes are inside diameter unless otherwise noted.




4" x 9" OVAL 18" BODY 24" OVERALL


CENTER/DUALS



SA2258



SA2268



SA2278



SA2288




SA2298




5" x 11" OVAL 22" BODY 28" OVERALL

DUAL/DUAL



SA2568

CENTER/DUAL



SA2588

OFFSET/CENTER



SA2589

All neck sizes are inside diameter unless otherwise noted.

SALUTE SPECIFICATIONS




4" ROUND 14" BODY 20" OVERALL

CENTER/CENTER



SA0445




SA0416




4" ROUND 18" BODY 24" OVERALL

CENTER/CENTER



SA0425




SA0426



7" ROUND 24" BODY 30" OVERALL

CENTER/CENTER



SA2772

All neck sizes are inside diameter unless otherwise noted.


- Patented flow divider design with high temp fiberglass
- 100% welded construction
- High temp grey finish
- Reversible design for maximum installation flexibility
- Standard body size
- Recommended for car, truck and SUV applications

VORTEX




4 1/4" x 10 1/4" OVAL 14" BODY 20 1/2" OVERALL

OFFSET/OFFSET



CENTER/OFFSET




All Vortex Mufflers are Reversible Except for Cross-Flow
 All neck sizes are inside diameter unless otherwise noted.

VORTEX SPECIFICATIONS



4 1/4" x 10 1/4" OVAL 16" BODY 22 1/2" OVERALL

CENTER/DUAL




4 1/4" x 10 1/4" OVAL 17" BODY 23 1/2" OVERALL

DUAL/DUAL

Can Be Used As an X-Pipe



CROSS-FLOW



All Vortex Mufflers are Reversible Except for Cross-Flow
All neck sizes are inside diameter unless otherwise noted.


- Short body size with unique wing plate design
- 100% welded construction
- Custom tuned flow design
- Cherry Bomb Red powder coat
- Recommended for aggressive sound

EXTREME




4" x 9³/₄" OVAL 6" BODY 12" OVERALL


OFFSET/OFFSET




CENTER/CENTER



CENTER/DUAL



DUAL/DUAL



All Pro Mufflers are Directional Flow Design.
All neck sizes are inside diameter unless otherwise noted.

PRO SPECIFICATIONS




- Unique wing plate design
- 100% welded construction
- High temp grey finish
- Non-reversible custom tuned flow design
- Standard body size
- Recommended for car and truck applications




4" x 9³/₄" OVAL 13" BODY 19" OVERALL

CENTER/CENTER



OFFSET/CENTER






All Pro Mufflers are Directional Flow Design.
All neck sizes are inside diameter unless otherwise noted.






4" x 9³/₄" OVAL 13" BODY 19" OVERALL





CENTER/OFFSET



OFFSET/OFFSET



CENTER/DUAL



All Pro Mufflers are Directional Flow Design.
All neck sizes are inside diameter unless otherwise noted.


PRO SPECIFICATIONS

CHERRY BOMB®





4" x 9³/₄" OVAL 16¹/₂" BODY 22¹/₂" OVERALL

CENTER/OFFSET




CENTER/DUAL



OFFSET/DUAL



CROSS-FLOW



All Pro Mufflers are Directional Flow Design.
All neck sizes are inside diameter unless otherwise noted.





- Reverse-flow design
- Mechanically-locked construction
- Reversible design for maximum installation flexibility
- Standard and small body size
- Recommended for car and truck applications

TURBO





3 1/4" x 7 3/4" OVAL

OFFSET/CENTER



OFFSET/OFFSET






All Turbo Mufflers are Reversible.
 Turbo Mufflers are Double Wrapped.
 All neck sizes are inside diameter unless otherwise noted.

TURBO SPECIFICATIONS




4 1/4" x 8 3/4" OVAL

OFFSET/CENTER






OFFSET/OFFSET




4 1/16" x 10 1/2" OVAL


OFFSET/CENTER



CENTER/DUAL



DUAL/DUAL



All Turbo Mufflers are Reversible.
Turbo Mufflers are Double Wrapped.
All neck sizes are inside diameter unless otherwise noted.




- Straight-thru design
- Seamed construction
- Cherry Bomb Red powder coat
- Reversible, 4" diameter body
- Retro design, perfect for custom and traditional hot rods


HOT ROD



4" DIA. Traditional Hot Rod Muffler



87886CB



87885CB

All neck sizes are inside diameter unless otherwise noted.



RACE MUFFLERS



- Lightweight construction
- Unique bellow design with integrated internal ring

P/N	INLET DIA. I.D.	OUTLET DIA. I.D.	OVERALL LENGTH	WEIGHT
87989CB	3"	3"	9"	2 ½ lbs.
87988CB	3 ½"	3 ½"	9"	2 ½ lbs.
87987CB	4"	4"	9"	2 ½ lbs.



X - Pipes



- Mandrel Bent
- Aluminized Steel
- Available in 3 Sizes

Universal X-Flow pipes increase horsepower and reduce noise levels. They work like an H-pipe balance tube, but give your vehicle better performance by increasing exhaust scavenging and balancing the exhaust pulses.


P/N	DIAMETER O.D.	WIDTH	LENGTH
429834CB	2 ¼"	8 ½"	18"
429835CB	2 ½"	8 ½"	18"
429836CB	3"	8 ½"	18"



UNIVERSAL Y-CONNECTORS



429825CB
429826CB




429819CB

- Aluminized Steel
- Available in 2 styles

P/N	OVERALL LENGTH	INLET DIAMETER	OUTLET DIAMETER	OUTLET CENTER TO CENTER DISTANCE
429825CB	13 ¼"	3" I.D.	Dual 2 ¼" O.D.	5 ½"
429826CB	13 ¼"	3" I.D.	Dual 2 ½" O.D.	6"
429819CB	12"	2 ¼" O.D.	Dual 2 ¼" O.D.	---



180° MANDREL U-BENDS




- Aluminized
- Mandrel Bent

P/N	INLET DIA. O.D.	OUTLET DIA. O.D.	LEG LENGTH (A)	LEG LENGTH (B)	CENTERLINE RADIUS (C)
320463CB	2"	2"	9"	9"	3 ½"
320464CB	2 ¼"	2 ¼"	8"	8"	4 ½"
320466CB	2 ½"	2 ½"	9"	9"	3 ½"
320465CB	2 ½"	2 ½"	8"	8"	4 ½"
320467CB	3"	3"	8"	8"	5 ½"



170° MANDREL ELBOWS




- Aluminized Steel
- Mandrel Bent

P/N	INLET DIA. O.D.	OUTLET DIA. O.D.	LEG LENGTH (A)	LEG LENGTH (B)	CENTERLINE RADIUS (C)
320474CB	2 ½"	2 ½"	14"	5"	4 ½"
320475CB	3"	3"	14"	5"	5"



90° MANDREL ELBOWS




- Aluminized Steel
- Mandrel Bent

P/N	INLET DIAMETER	OUTLET DIAMETER	LEG LENGTH (A)	LEG LENGTH (B)	CENTERLINE RADIUS (C)
320441CB	2 ¼" O.D.	2 ¼" O.D.	14"	5"	4"
320442CB	2 ½" O.D.	2 ½" O.D.	14"	5"	4 ½"
320443CB	3" O.D.	3" O.D.	7"	7"	3 ½"
320444CB	3" O.D.	3" O.D.	14"	5"	5"
320445CB	3" O.D.	3" O.D.	7"	7"	5 ½"
320446CB	3 ½" O.D.	3 ½" O.D.	7"	7"	4"
320447CB	3 ½" I.D.	3 ½" I.D.	7"	7"	6"
320448CB	4" I.D.	4" I.D.	7"	7"	4 ½"
320449CB	4" I.D.	4" I.D.	7"	7"	6"
320450CB	4" I.D.	4" I.D.	7"	7"	8"
320451CB	5" I.D.	5" I.D.	7"	7"	6"



45° MANDREL ELBOWS




- Aluminized Steel
- Mandrel Bent

P/N	INLET DIAMETER	OUTLET DIAMETER	LEG LENGTH (A)	LEG LENGTH (B)	CENTERLINE RADIUS (C)
320452CB	2¼" O.D.	2¼" O.D.	14"	5"	4"
320453CB	2½" O.D.	2½" O.D.	14"	5"	4½"
320454CB	3" I.D.	3" I.D.	7"	7"	3½"
320455CB	3" O.D.	3" O.D.	14"	5"	5"
320456CB	3" I.D.	3" I.D.	7"	7"	5½"
320457CB	3½" I.D.	3½" O.D.	7"	7"	4"
320458CB	3½" I.D.	3½" I.D.	7"	7"	6"
320459CB	4" I.D.	4" I.D.	7"	7"	4½"
320460CB	4" I.D.	4" I.D.	7"	7"	6"
320461CB	4" I.D.	4" I.D.	7"	7"	8"



30° MANDREL ELBOWS



- Aluminized Steel
- Mandrel Bent

P/N	INLET DIA. O.D.	OUTLET DIA. O.D.	LEG LENGTH (A)	LEG LENGTH (B)	CENTERLINE RADIUS (C)
320462CB	3"	3"	14"	5"	5"




CLAMPS

STAINLESS STEEL 3/8" U-BOLT



P/N	SIZE	BOX QTY
SS112	1 1/2"	1
SS134	1 3/4"	1
SS178	1 7/8"	1
SS200	2"	1
SS214	2 1/4"	1
SS212	2 1/2"	1
SS300	3"	1

DGM STYLE 3/8" U-BOLT W/ FLANGE NUTS



P/N	SIZE
M112	1 1/2"
M134	1 3/4"
M178	1 7/8"
M200	2"
M214	2 1/4"
M212	2 1/2"
M300	3"



CHRYSLER V-BAND CLAMP

Fits 2 1/2" Pre-Cat Inlet



P/N	SIZE	MATERIAL
8610	2 1/2"	ALUMINIZED STEEL

EXTRA HEAVY DUTY CLAMPS 3/8" U-BOLT 11 GAUGE SADDLE



Welded Saddle

P/N	P/N ZINC	SIZE	BOX QTY	P/N	P/N ZINC	SIZE	BOX QTY
H200	—	2"	1	H300*	H300Z	3"	1
H218	—	2 1/8"	1	H314*	—	3 1/4"	1
H214	—	2 1/4"	1	H312*	—	3 1/2"	1
H238	—	2 3/8"	1	H400*	H400Z	4"	1
H212	—	2 1/2"	1	H412*	—	4 1/2"	1
H258*	—	2 5/8"	1	H500*	H500Z	5"	1
H234*	—	2 3/4"	1	H600*	H600Z	6"	1

*Welded Saddle

FLAT BAND EXHAUST CLAMP



P/N	SIZE	MATERIAL
B200	2"	BRIGHT 304 STAINLESS STEEL
B214	2 1/4"	BRIGHT 304 STAINLESS STEEL
B212	2 1/2"	BRIGHT 304 STAINLESS STEEL
B234	2 3/4"	BRIGHT 304 STAINLESS STEEL
B300	3"	BRIGHT 304 STAINLESS STEEL
B314	3 1/4"	BRIGHT 304 STAINLESS STEEL
B312	3 1/2"	BRIGHT 304 STAINLESS STEEL
B400	4"	BRIGHT 304 STAINLESS STEEL
B412	4 1/2"	BRIGHT 304 STAINLESS STEEL
B500	5"	BRIGHT 304 STAINLESS STEEL
B600	6"	BRIGHT 304 STAINLESS STEEL
B800	8"	BRIGHT 304 STAINLESS STEEL
B1000	10"	BRIGHT 304 STAINLESS STEEL



HEADER ADAPTERS AND GASKETS

Gaskets



8711



9069




9070

- Used to connect outlet of header to extension pipe
- For 2 1/2" diameter headers with 3-hole flange

P/N	DESCRIPTION
8711	2 1/2" center hole flange gasket
9069	3" center hole flange gasket
9070	3 1/2" center hole flange gasket

Flanges



- For 3" and 3 1/2" diameter headers with 3-hole or 4-hole flange

P/N	A	B	C
9071	2 1/2"	4"	2 1/2" O.D. 3 Hole
9073	3" O.D.	4 1/2"	2 1/2" O.D. 3 or 4 Hole



360° HANGERS

UNIVERSAL HANGERS



8049
8051
8052



8050



8483

- Zinc plated for long life
- Knurled steel for maximum strength
- Vibration absorption design
- Swivel design for installation flexibility

BOX QTY	P/N	TYPE	LENGTH
1	8049	Reg. Closed	9 1/2"
1	8050	Reg. Open	9 3/4"
1	8052	Med. Closed	13 1/4"
1	8051	Long Closed	17 1/4"
1	8483	Reg. Open	9 1/2"



CHROME TIPS

FOREIGN CAR TIPS



P/N	INLET SIZE	OVERALL SIZE
XFC112	1 1/2" I.D.	6" x 1 3/4"
XFC134	1 3/4" I.D.	6" x 2"
XFC200	2" I.D.	6" x 2 1/4"

INSIDE ROLL PENCIL TIPS



P/N	INLET SIZE	OVERALL SIZE
XRPT134	1 3/4" I.D.	8" x 2 1/2"
XRPT200	2" I.D.	9" x 2 1/4"
XRPT214	2 1/4" I.D.	9" x 2 1/2"
XRPT212	2 1/2" I.D.	9" x 2 3/4"
XRPT3006	2" I.D.	6" x 3"
XRPT3506	2 1/4" I.D.	6" x 3 1/2"
XRPT4006	2 1/2" I.D.	6" x 4"
XRPT4012	2 1/2" I.D.	12" x 4"
XRPT4018	2 1/2" I.D.	18" x 4"
XRPT5012	2 1/2" I.D.	12" x 5"
XRPT5018	2 1/2" I.D.	18" x 5"
XRPT3512	2 1/4" I.D.	12" x 3 1/2"
XRPT35123	3" I.D.	12" x 3 1/2"
XRPT4012312	3 1/2" I.D.	12" x 4"

CHEVELLE TIPS



P/N	INLET SIZE	OVERALL SIZE
XWS200	2" I.D.	1 3/4" x 3"
XWT200	2" I.D.	1 3/4" x 3 3/4"
XWT212	2 1/2" I.D.	1 3/4" x 3 3/4"
XBT200	2" I.D.	2" x 3"
XST200	2" I.D.	2 3/4" x 2 7/8"
XWT214	2 1/4" I.D.	1 3/4" x 3 3/4"
XCT410	2 1/2" I.D.	1 3/4" x 4"

DUAL TRANS AM TIPS



P/N	INLET SIZE	OVERALL SIZE
XDT214	2 1/4" I.D.	12" x 2 1/2"

EXHAUST ACCESSORIES



CHROME TIPS

DUAL PENCIL TIPS



P/N	INLET SIZE	OVERALL SIZE
XDP200	2" I.D.	11" x 5 1/2" (outlet 2 1/4")

DUAL ANGLE CUT TIPS



P/N	INLET SIZE	OVERALL SIZE
XDA200	2" I.D.	11" x 5 1/2" (outlet 2 1/4")

INSIDE ROLL ANGLE CUT TIPS



P/N	INLET SIZE	OVERALL SIZE
XRAC312	2" I.D.	12" x 3"
XRAC316	2" I.D.	16" x 3"
XRAC324	2" I.D.	24" x 3"
XRAC31212	2 1/4" I.D.	12" x 3 1/2"
XRAC312123	3" I.D.	12" x 3 1/2"
XRAC31216	2 1/4" I.D.	16" x 3 1/2"
XRAC31218	2 1/4" I.D.	18" x 3 1/2"
XRAC31222	2 1/4" I.D.	22" x 3 1/2"
XRAC412	2 1/2" I.D.	12" x 4"
XRAC418	2 1/2" I.D.	18" x 4"
XRAC422	2 1/2" I.D.	22" x 4"

TURN DOWN TIPS



P/N	INLET SIZE	OVERALL SIZE
XTD112	1 1/2" I.D.	8" x 1 3/4"
XTD134	1 3/4" I.D.	8" x 2"
XTD200	2" I.D.	9" x 2 1/4"
XTD214	2 1/4" I.D.	11" x 2 1/2"
XTD212	2 1/2" I.D.	13" x 2 1/2"

PENCIL TIPS



P/N	INLET SIZE	OVERALL SIZE
XPT112	1 1/2" I.D.	8" x 1 3/4"
XPT134	1 3/4" I.D.	8" x 2"
XPT200	2" I.D.	9" x 2 1/4"
XPT214	2 1/4" I.D.	9" x 2 1/2"
XPT212	2 1/2" I.D.	9" x 2 3/4"
XPT312	2" I.D.	12" x 3"
XPT3123	3" I.D.	12" x 3"
XPT316	2" I.D.	16" x 3"
XPT3203	3" I.D.	20" x 3"
XPT324	2" I.D.	24" x 3"
XPT31212	2 1/4" I.D.	12" x 3 1/2"
XPT312123	3" I.D.	12" x 3 1/2"
XPT31218	2 1/4" I.D.	18" x 3 1/2"
XPT31220	2 1/4" I.D.	20" x 3 1/2"
XPT312203	3" I.D.	20" x 3 1/2"
XPT4124	4" I.D.	12" x 4"
XPT416	2 1/2" I.D.	16" x 4"
XPT4184	4" I.D.	18" x 4"



CHROME TIPS

ANGLE CUT TIPS



P/N	INLET SIZE	OVERALL SIZE
XAC112	1 1/2" I.D.	8" x 1 3/4"
XAC134	1 3/4" I.D.	8" x 2"
XAC200	2" I.D.	9" x 2 1/4"
XAC214	2 1/4" I.D.	9" x 2 1/2"
XAC212	2 1/2" I.D.	9" x 2 3/4"
XAC312	2" I.D.	12" x 3"
XAC312214	2 1/4" I.D.	12" x 3"
XAC316	2" I.D.	16" x 3"
XAC316214	2 1/4" I.D.	16" x 3"
XAC3163	3" I.D.	16" x 3"
XAC322	2" I.D.	22" x 3"
XAC3223	3" I.D.	22" x 3"
XAC324	2" I.D.	24" x 3"
XAC324214	2 1/4" I.D.	24" x 3"
XAC31212	2 1/4" I.D.	12" x 3 1/2"
XAC31216	2 1/4" I.D.	16" x 3 1/2"
XAC312163	3" I.D.	16" x 3 1/2"
XAC31218	2 1/4" I.D.	18" x 3 1/2"
XAC31222	2 1/4" I.D.	22" x 3 1/2"
XAC31222212	2 1/2" I.D.	22" x 3 1/2"
XAC312223	3" I.D.	22" x 3 1/2"
XAC412	2 1/2" I.D.	12" x 4"
XAC412312	3 1/2" I.D.	12" x 4"
XAC4124	4" I.D.	12" x 4"
XAC416312	3 1/2" I.D.	16" x 4"
XAC418	2 1/2" I.D.	18" x 4"
XAC4183	3" I.D.	18" x 4"
XAC4184	4" I.D.	18" x 4"
XAC422	2 1/2" I.D.	22" x 4"
XAC4223	3" I.D.	22" x 4"
XAC424	2 1/2" I.D.	24" x 4"
XAC5124	4" I.D.	12" x 5"
XAC518	2 1/2" I.D.	18" x 5"
XAC5184	4" I.D.	18" x 5"
XAC524	2 1/2" I.D.	24" x 5"
XAC6184	4" I.D.	18" x 6"

SPECIALTY TURN DOWN TIP - BOLT ON



P/N	INLET SIZE	LENGTH
9818	1 7/8" I.D.	11"

SPECIALTY CHROME TIPS - BOLT ON



P/N	INLET SIZE	LENGTH
9821	1 1/2" I.D.	5 1/4"
9822	1 3/4" I.D.	5 1/4"
9817	1 7/8" I.D.	3 3/8"
9820	2" I.D.	5 1/4"
9819	2 1/4" I.D.	5 1/4"

EXHAUST ACCESSORIES



STAINLESS TIPS

BOLT-ON / CLAMP-ON TIPS



ST1255S



ST1254S



ST1257S



ST1253S



ST1256S

P/N	INLET SIZE	OVERALL SIZE
ST1255S	2 ¼" I.D.	2" x 2 ¼"
ST1253S	2 ¼" I.D.	5 ½" x 3"
ST1257S	2 ¼" I.D.	7" x 3 ½"
ST1254S	2 ½" I.D.	7" x 3 ½"
ST1256S	2 ½" I.D.	10" x 3"

SPECIALITY TIPS



1



2



3



4



5



6



7

P/N	INLET SIZE	OVERALL SIZE	TYPE
XSCAM214	2 ¼" I.D.	7 22/25" x 2" - OAL 10"	1
XSSDW4128	2 ¼" I.D.	9" x 4 ½"	2
XSDW3002	2" I.D.	6 ¼" x 3"	3
XSDW41210	2 ¼" I.D.	3 ¼" x 3 ¾" - OAL 7"	4
XSRPT3507	2 ¼" I.D.	7" x 3 ½"	4
XSOR512	2 ½" I.D.	5 ¼" x 3 ¼" - OAL 7 ½"	5
XSMS625L	2 ¼" I.D.	6 ¼" x 3 ¾" - OAL 12"	6
XSMS625R	2 ¼" I.D.	6 ¼" x 3 ¾" - OAL 12"	6
XSR600	2 ¼" I.D.	6" Oval - OAL 9"	7
SV7840	2 ½" I.D.	6" x 2" - OAL 10"	1



STAINLESS TIPS

PENCIL TIPS



P/N	INLET SIZE	OVERALL SIZE
XSRPT200	2" I.D.	9" x 2 ¼"
XSRPT214	2 ¼" I.D.	9" x 2 ½"
XSRPT212	2 ½" I.D.	9" x 2 ¾"

CHEVY BOWTIE TIPS



P/N	INLET SIZE	OVERALL SIZE
XSCB214	2 ¼" I.D.	9" x 4 ¾"
XSCB212	2 ½" I.D.	9" x 4 ¾"
XSCB300	3" I.D.	9" x 4 ¾"

INSIDE ROLL ANGLE CUT TIPS



P/N	INLET SIZE	OVERALL SIZE
XSRAC316	2 ¼" I.D.	16" x 3"
XSRAC31212	2 ¼" I.D.	12" X 3 ½"
XSRAC31216	2 ¼" I.D.	16" x 3 ½"
XSRAC31218	2 ¼" I.D.	18" x 3 ½"
XSRAC31222	2 ½" I.D.	22" x 3 ½"
XSRAC418	2 ½" I.D.	18" x 4"
XSBRAC40124	4" Bolt On	12" x 4"
XSBRAC50124	4" Bolt On	12" x 5"
XSBRAC50125	5" Bolt On	12" x 5"
XSBRAC50184	4" Bolt On	18" x 5"
XSBRAC50185	5" Bolt On	18" x 5"

ANGLE CUT TIPS



P/N	INLET SIZE	OVERALL SIZE
XSAC200	2" I.D.	9" x 2 ¼"
XSAC214	2 ¼" I.D.	9" x 2 ½"
XSAC212	2 ½" I.D.	9" x 2 ¾"
XSAC312214	2 ¼" I.D.	12" x 3"
XSAC316	2" I.D.	16" x 3"
XSAC316214	2 ¼" I.D.	16" x 3"
XSAC318	2 ¼" I.D.	18" x 3"
XSAC318212	2 ½" I.D.	18" x 3"
XSAC324	2 ½" I.D.	24" x 3"
XSAC31212	2 ¼" I.D.	12" x 3 ½"
XSAC31216	2 ¼" I.D.	16" x 3 ½"
XSAC31218	2 ¼" I.D.	18" X 3 ½"
XSAC31218212	2 ½" I.D.	18" x 3 ½"
XSAC31222	2 ¼" I.D.	22" x 3 ½"
XSAC3122212	2 ½" I.D.	22" x 3 ½"
XSAC412	2 ½" I.D.	12" x 4"
XSAC418	2 ½" I.D.	18" x 4"
XSAC422214	2 ¼" I.D.	22" x 4"

INSIDE ROLL STRAIGHT CUT TIPS



P/N	INLET SIZE	OVERALL SIZE
XSBRPT50124	4" Bolt On	12" x 5"
XSBRPT50125	5" Bolt On	12" X 5"

EXHAUST ACCESSORIES



STAINLESS TIPS

TURN DOWN TIPS



P/N	INLET SIZE	OVERALL SIZE
XSTD300	3" I.D.	16" x 3"
XSTD312	3 1/2" I.D.	16" X 3 1/2"
XSTD400	4" I.D.	18" x 4"



FLEX COUPLINGS

- Complete Coverage
- Constructed with 2-Ply Bellows
- Designed with a Seamless, Convuluted Inner Core to Prevent Exhaust Leaks
- Increased Flexibility Reduces Vibrations
- Available with or without Expandable Nipple Extensions
- Available with Inner Braid



WITHOUT NIPPLE EXTENSION

P/N W/O INNER LINER	P/N WITH INNER BRAID	FLEX LENGTH	OVERALL LENGTH	INLET DIAMETER
8810	8810IB	4"	4"	1.77"
8811	8811IB	6"	6"	1.77"
8812	8812IB	8"	8"	1.77"
8813	8813IB	10"	10"	1.77"
8814	8814IB	4"	4"	2.02"
8815	8815IB	6"	6"	2.02"
8816	8816IB	8"	8"	2.02"
8817	8817IB	10"	10"	2.02"
8818	8818IB	4"	4"	2.27"
8819	8819IB	6"	6"	2.27"
8820	8820IB	8"	8"	2.27"
8821	8821IB	10"	10"	2.27"
8822	8822IB	4"	4"	2.52"
8823	8823IB	6"	6"	2.52"
8824	8824IB	8"	8"	2.52"
8825	8825IB	10"	10"	2.52"
8826	8826IB	4"	4"	3.02"
8827	8827IB	6"	6"	3.02"
8828	8828IB	8"	8"	3.02"
8829	8829IB	10"	10"	3.02"

WITH NIPPLE EXTENSION

P/N W/O INNER LINER	P/N WITH INNER BRAID	FLEX LENGTH	OVERALL LENGTH	INLET DIAMETER
8835	8835IB	4"	8"	1.75"
8836	8836IB	6"	10"	1.75"
8837	8837IB	8"	12"	1.75"
8838	8838IB	10"	14"	1.75"
8839	8839IB	4"	8"	2.00"
8840	8840IB	6"	10"	2.00"
8841	8841IB	8"	12"	2.00"
8842	8842IB	10"	14"	2.00"
8843	8843IB	4"	8"	2.25"
8844	8844IB	6"	10"	2.25"
8845	8845IB	8"	12"	2.25"
8846	8846IB	10"	14"	2.25"
8847	8847IB	4"	8"	2.50"
8848	8848IB	6"	10"	2.50"
8849	8849IB	8"	12"	2.50"
8850	8850IB	10"	14"	2.50"
8851	8851IB	4"	8"	3.00"
8852	8852IB	6"	10"	3.00"
8853	8853IB	8"	12"	3.00"
8854	8854IB	10"	14"	3.00"



RECOGNIZED AP EXHAUST TECHNOLOGIES BRANDS



DISTRIBUTED BY:

FOR TECHNICAL SUPPORT:

Toll Free: 1.800.277.2787
Email: tech.line@apemissions.com
8 am – 5 pm, Monday through Friday

300 Dixie Trail
Goldsboro, NC 27530
P. 919.580.2000
F. 919.580.2010

